

Fluffy TEST (CA241B66)
 Visit Report: Thursday, October 31, 2024

VISIT	PATIENT	ACCOUNT
Reason: TPLO	Fluffy TEST (ID CA241B66)	TEST TEST (ID 233C0)
Veterinarian: Justin Harper	2 YO X LABR (DOB: Sep 19, 2022)	(848) 318-1071
Check In: 10/31/24, 12P	Canine Labrador Retriever	
Check Out:	Weight: None	
	Microchip #: None	

HCVSS Post Surgical Care of Perineal Urethrostomy in the Cat, Completed: 11/05/24, 11A

Veterinarian: Justin Harper

Now it's your turn!

Treatment of the "plugged cat" is often a matter of choices that must be made by the cat's owner in consultation with the veterinarian. Financial considerations play an important role in these decisions for many people and it is our goal to inform you of your options and to give you an outline of a treatment plan and its cost. Some cats become blocked, are treated by means of a urinary catheter placed while under anesthesia, given medications, fluids and antibiotics and never have an incidence of blockage again in their lives. Unfortunately, these animals are the exception rather than the rule. Many cats will continue to have problems. Each incidence of blockage is expensive and many owners prefer to elect a surgical correction as soon as the condition of their cat will permit it.

A perineal urethrostomy is a procedure that involves removal of the greater portion of the penis where the urethra is smallest, and re-direction of a urinary system. This does not prevent the formation of the protein crystals that form the urinary calculi (sand plug), but it does dramatically decrease the danger of blockage.

Facts you should know:

Every surgery has a certain amount of risk - especially if the animal is not perfectly healthy.

Blockage of the bladder may have caused kidney damage. This may not be readily apparent but may result in kidney failure, which is sometimes fatal.

Each individual animal reacts individually to disease and treatment. We try to predict the outcome based upon the usual responses of the average cat. This makes it difficult to predict the exact cost and outcome of treatment.

There are possible post-op complications following perineal urethrostomy including bleeding, failure of sutures to hold, and post-operative urinary blockage. Long-term complications include stricture or scarring of the new urinary opening necessitating further surgery. The initial blockage of the bladder may have caused bladder damage, which results in the cat being unable to control his urination.

Post-Operative Care

It is imperative that your pet not be allowed to lick or chew at the sutures around the incision until it is healed. Your pet must wear a protective cone or Elizabethan collar at all times for three weeks to prevent this. It is not unusual for there to be some mild bleeding or scabbing around the new opening. Do not pull this scab off and simply apply light pressure with an ice pack if you notice any bleeding. Have your veterinarian check your pet immediately if the bleeding does not stop or you are concerned. Some mild swelling is also normal.

It will take some time for all the swelling to reduce and a normal urine stream to be produced. On rare occasions, swelling or blood clots can obstruct the new opening so be sure your cat is urinating every day. Be sure to give all

Fluffy TEST (CA241B66)

Visit Report: Thursday, October 31, 2024

the antibiotic medication until it is gone as infections occur more commonly from surgeries around the rectum.

Remember, this surgery is only done to prevent obstruction and will not prevent recurrent bladder infections. You can minimize the chances for these infections by following your veterinarian's recommendations on proper diets that are designed to prevent or minimize the formation of crystals in your cat's bladder that cause these infections.

Do not use regular litter in your cat's litter box for the first two weeks after surgery as the clay may stick to the incision and cause irritation. Shred newspaper or use specially designed litter that does not contain sand or clay or dust until the sutures are removed. You may also put a little Vaseline, triple antibiotic ointment or Neosporin ointment on the exposed tissue to keep it from drying out and help it heal properly.

Most of the sutures are dissolving and will not need to be removed in 10-14 days. Some cats will use the edge of the E-collar or rubbing their rear end on the floor or rug to scratch their incision and this should be avoided.

The re-direction of the urinary system may lead to urine scald around the area. If there is evidence of urine scald you may need to apply Vaseline to the inflamed area daily.

Do not hesitate to call your veterinarian if you have any questions about this surgery or anything that seems unusual about your pet's recovery.

Your pet has the following procedures done:

Perineal Urethrostomy

Cystotomy to retrograde red rubber catheter from bladder to urethra to complete PU. Could not pass catheter from PU site.

Retropulsion to remove bladder stones

Bladder flushing after surgery to clean out crystals

Follow Up Instructions

Elizabethan collar placed to prevent chewing or licking sutures. Leave on until doctor determines it is safe to remove, usually 14-21 days

Please monitor your pet's ability to urinate over the next 1-2 days. Rarely, patients that had an epidural will have transient urinary retention, straining to urinate but no stream is observed. This can lead to a ruptured bladder after several days and kidney failure if you do not seek immediate treatment.

Recheck in three days to evaluate progress

Recheck 14 days: Dissolving Sutures removal for cystotomy site ; However suture removal for the perineal urethrostomy area is not needed as sutures are absorbable

Start special urinary diet as recommended by your doctor

Discuss Adequan therapy with your veterinarian for your cat for cystitis/urethritis

Pain Medications



HILL COUNTRY VETERINARY SURGICAL SPECIALTY
+18305491698 | info@HCVSS.com

Fluffy TEST (CA241B66)

Visit Report: Thursday, October 31, 2024

Start pain medication as prescribed by Dr. Harper.

Antibiotics

Start antibiotic as prescribed by Dr. Harper.

Discharge time:

Thank you!

We want to express our heartfelt gratitude for choosing Hill Country Veterinary Surgical Specialty to provide care for your beloved furry friend. We understand that surgeries can be stressful, and we truly appreciate the trust you have placed in us during such a time.

We are privileged to be part of your pet's care journey, and we look forward to serving you and your furry family member in the future.

Wishing you and your pet continued health and happiness.

Warmest regards,
Hill Country Veterinary Surgical Specialty